

**RISE**

Retrofit information,  
support & expertise

# Data for retrofit projects

**Toolkit**

September 2024

Funded by:



Department for  
Energy Security  
& Net Zero

[www.riseretrofit.org.uk](http://www.riseretrofit.org.uk)

# Contents

<b>Summary</b> .....	<b>4</b>
<b>Who should use the toolkit?</b> .....	<b>4</b>
<b>When should you use the toolkit?</b> .....	<b>4</b>
<b>How should you use toolkit?</b> .....	<b>4</b>
<b>Recommended process</b> .....	<b>4</b>
<b>Level 1 – Introduction</b> .....	<b>5</b>
<b>Challenges</b> .....	<b>5</b>
<b>Solutions</b> .....	<b>5</b>
<b>Level 2 – Framework</b> .....	<b>6</b>
<b>Data governance and management</b> .....	<b>7</b>
<b>Collect data</b> .....	<b>7</b>
<b>Aggregate data</b> .....	<b>7</b>
<b>Improve data quality</b> .....	<b>7</b>
<b>Calculate baseline energy performance</b> .....	<b>8</b>
<b>Sense check outputs</b> .....	<b>8</b>
<b>Set targets</b> .....	<b>8</b>
<b>Calculate expected energy performance</b> .....	<b>8</b>
<b>Review/validate data</b> .....	<b>8</b>
<b>Level 3 – Data governance &amp; management</b> .....	<b>9</b>
<b>Collecting data</b> .....	<b>10</b>
1. Stock condition survey:.....	11
2. Standard Assessment Procedure (SAP) data:.....	11
3. Thermal imaging surveys: .....	11
4. Retrofit assessment: .....	11
5. Cloning data: .....	11
6. Registered EPC:.....	12
<b>Aggregating data</b> .....	<b>12</b>
Single version of the truth .....	12
Consistent formatting .....	13
<b>Improving data quality</b> .....	<b>15</b>
1 Home energy analytic software.....	15
2 Manual checks .....	15

How to improve your data quality? .....	16
Data cleaning .....	17
<b>Calculating energy performance .....</b>	<b>18</b>
Home energy analytics software .....	18
Baseline energy performance .....	18
Expected energy performance .....	19
Desktop calculations.....	19
Baseline energy performance .....	19
Expected energy performance .....	21
Manually recalculate energy performance .....	21
Baseline energy performance .....	22
Expected energy performance .....	22
Sub-contracting .....	22
Baseline energy performance .....	22
Expected energy performance .....	22
Reviewing and validating data.....	23
Beginning of process .....	23
End of process .....	23
<b>Appendices .....</b>	<b>24</b>
<b>Appendix 1: How to use a PivotTable to review your data .....</b>	<b>24</b>
<b>Appendix 2. Energy performance metrics .....</b>	<b>27</b>
EPC rating and SAP score .....	27
Estimated fuel bills (£) .....	27
CO <sub>2</sub> emissions (tonnes/year).....	27
Heating demand (kWh/m <sup>2</sup> /year).....	27
<b>Appendix 3. Housing energy analytics software considerations.....</b>	<b>28</b>
Costs .....	28
Functionalities .....	28
Improved efficiencies .....	28
Data accuracy .....	28
Challenges/Risks .....	28

# Summary

Good quality data is the foundation for any retrofit project and developing good practices to manage and improve your data quality are valuable skills. Confidence in your underlying stock portfolio data will aid you in retrofit programme decisions and prioritisation of which homes you'll target with which retrofit measures.

## Who should use the toolkit?

This toolkit is relevant to senior management and all key project participants. It is particularly relevant for team members who manage your housing stock data and/or are focused on planning retrofit projects.

The toolkit describes the recommended best practices for how to better manage your existing quality housing stock data. It will help you to:

- Understand your current position on data governance and management, data quality and existing energy performance data
- Understand how to:
  - Collect data
  - Aggregate data
  - Improve data quality
  - Calculate energy performance (baseline and expected)
  - Validate your data

## When should you use the toolkit?

This toolkit should be used at the very start of planning a retrofit programme and you should refer to it as the programme develops. The data will help you to target and scope properties for your desired retrofit projects. Making data-led decisions will lead to the development of a strong business case.

## How should you use toolkit?

- **Level 1** – outlines current challenges, solutions, and processes around housing stock data
- **Level 2** – provides a framework for achieving good quality housing stock data
- **Level 3** – complete a self-assessment to understand your current state and understand what actions you can take

## Recommended process

1. Read the information in Levels 1 and 2 to understand the toolkit basics
2. Use Level 3 to help develop your own data strategy, using the external resources, standards, templates, and reference documents

# Level 1 – Introduction

## Challenges

Some of the common challenges housing providers face in acquiring and managing portfolio data for retrofit projects are:

- Adequate resource availability – lack of internal resource with the proficient data analysis experience
- Incomplete, inconsistent and poor-quality housing stock data, leading to errors in stock modelling scenarios – ‘garbage in, garbage out’
- Limited access to valid and reliable data sources or tools to calculate energy performance

These challenges, if unresolved, can cause:

- Increased costs to business operations
- Project delays
- Poor quality outcomes
- Poor value for money
- Failure to meet strategic objectives

Good data management and governance practices within a housing provider can enable significant benefits:

- Reduced time, costs and complexity for your organisation by using tools and software to analyse and model your stock
- Target the right measures early in your retrofit programme
- Better management and transparency of retrofit project risks and reduced costs to rectify poor performing projects
- Making better informed decisions on quality and measurable outcomes in your stock upgrade estimates
- Improved business process efficiencies around use of data
- Capability to monitor organisation and programme performance to deliver continuous improvement
- Build stronger business cases to present to senior management team for capital investment

## Solutions

An established data management and governance policy will help to overcome the challenges mentioned above. This will ensure data is of the right quality, ready to use and fit for purpose. In addition to continuous data improvements, it is recommended to use an application and/or software to analyse your data.

## Level 2 – Framework

Figure 1 illustrates the process to achieve good quality housing stock data. There are 9 steps within this process. As you progress through them you will need to cycle through earlier steps to gradually improve your data quality and support your final business case. Within this toolkit we discuss how to complete each of the steps. Underpinning the process is the requirement for good data management and governance practices.




Figure 1. Process to improve data quality and analyse data for a retrofit project

## Data governance and management

Data governance is the practice of how data is used and processed through the organisation. It sets out the rules within your organisation to help keep your data secure, up to date, reliable and usable.

### Collect data

Detailed home attribute data is required to calculate the energy performance of your stock. Different data types and calculation methods provide varying outputs and accuracy. It is worth knowing what they are, how they differ and how they will influence your retrofit approach.

### Aggregate data

As a housing provider you'll need to aggregate data from various sources:

- EPC data
- Stock condition data
- Asset renewals and repair records
- Planned maintenance opportunities and budgets
- Complaints analysis and housing health and safety rating system (HHSRS)
- Demographics and funding data

It is important to manage this appropriately to ensure there is no ambiguity in the data being used.

### Improve data quality

Good quality data will improve decision-making and increase the quality of planning for retrofit programmes. A well-known phrase within data science is "garbage in, garbage out". If you start with poor quality data, you can expect poor quality results.




Figure 2. The data input and data output relationship

## Calculate baseline energy performance

Baseline energy performance is the measure of how your home is currently performing. It is important to have detailed home level data for various energy performance metrics.

## Sense check outputs

Sense check your baseline energy performance to identify any major errors or gaps within your datasets. Make any data improvements before moving on to the next stage.

## Set targets

Set targets based on your desired retrofit outcomes. These targets should be aligned to your organisation's ambition as well as policy and legislation and any funding bids requirements. Test various targets against a range of energy performance metrics.

## Calculate expected energy performance

As part of the process of planning and designing a retrofit project, you should model how you expect your home to perform after installing energy efficiency measures. There are different methods for doing this with varying levels of ease, accuracy, cost and time.

## Review/validate data

Finally, review all the data you have collected and analysed to check you are confident with the outputs. Gauge whether your data provides a good understanding of your homes pre-retrofit. It should help to identify the proposed retrofit approach and indicate how the homes will perform post-retrofit.



# Level 3 – Data governance & management

Data governance (see Figure 3) is a collection of processes, roles and responsibilities, policies and standards, that ensure data is used effectively and securely by an organisation. Data management is the enactment of data governance policies and procedures.



Figure 3. Data Governance

Data governance helps to answer:

- Who has ownership of the data?
- Who can access what data?
- What security measures are in place to protect data and privacy?
- How much of our data is compliant with new regulations?
- Which data sources are approved to use?

Data governance requires:

1. Designing a set of processes to ensure data is being handled and managed correctly
2. An understanding of who is responsible for updating and managing the data
3. Commitment to ensuring the processes, controls and responsibilities are enforced

Establish good data governance practices to ensure your data is frequently updated, consistently maintained, and individuals are clear on their responsibilities. This will help to avoid delays and reduce confusion or ambiguity.

It is best to store your data in a **central database**. This can be done through shared servers or folders that are accessible by different teams. The 'aggregating data' section will show you how to achieve better practices in data management.

## Collecting data

The more information you hold about your homes, the more reliable your stock analysis results will be. If you have data gaps, the default way to fill them is to create assumptions based on similar property archetypes. However, with more assumptions you run the risk of lower data accuracy.

Therefore, it is important to have enough data to identify the problem areas of the home and understand occupant behaviours to assure you about the correct retrofit approach.

You may already hold enough data for each of your homes. It is worth checking what data you have from your **asset management systems** before looking at collecting new data. Collecting new data can take significant time and cost, so try and ensure your data doesn't have any gaps when collected. Try to account for data collection time when developing your retrofit project plan.

Data should be collected at a detailed home level, including the component parts shown in Figure 4. This will help you to better understand the makeup of the home and to calculate its energy performance.




Figure 4. Data components that make up detailed information about a home

There are various methods for collecting detailed home level data. These are explained in the next six sections.

### 1. Stock condition survey:

- Collect detailed information on the internal and external building components to determine the energy performance of the home
- Data can be used for the Decent Home Standard. It can help to target properties that require immediate attention
- To calculate the energy performance of a home using data from stock condition surveys, you will require **stock modelling software or a calculator tool** (see 'calculating energy performance' for more information')

### 2. Standard Assessment Procedure (SAP) data:

- **Full SAP** data is a more complete dataset for a home. It uses floor plans, drawings and specifications from design stage. Full SAP is required for new buildings under the building regulations
- **RdSAP** data is the 'reduced' version of SAP and is used in assessments of existing homes. RdSAP uses some default data for certain data points where information is not as easy to collect (e.g., u-values for building fabrics). The assumptions embedded in RdSAP means is not as accurate as full SAP
- Collecting additional data points such as u-values will improve the accuracy of your RdSAP results
- The RdSAP methodology is under review and there has been no announcement about when the new version will be released

### 3. Thermal imaging surveys:

- Thermal imaging indicates where there are cold spots within the home. This data provides evidence to justify recommended fabric measures and your retrofit approach
- Although useful, they alone will not give you the required figures to calculate energy performance

### 4. Retrofit assessment:

- These are detailed surveys of the home carried out prior to any measures being installed. These lead to recommended measures and detailed information on material choices and installation methods. Consider PAS 2035 requirements when undertaking retrofit assessments
- Most retrofit assessments will not give you the expected energy performance data and should be coupled with additional energy assessments

In some instances, carrying out these more intensive forms of data collection may not be possible due to time, capacity and capital restraints. Below are some additional methods which are more cost effective and less-time consuming. However, **proceed with caution** and only use them if necessary, as they typically result in **poorer data quality**.

### 5. Cloning data:

- Cloning is the process of copying the existing data inputs from a home of a similar archetype and using it to fill data gaps
- This takes less time, but it is far less reliable as it assumes the home you have copied data from is identical, which isn't true in most cases

- If cloning data, be confident with the source data and check your database for planned works or efficiency improvements that may have taken place. This will improve data quality

## 6. Registered EPC:

- You can collect data from the [EPC register](#)
- Usually, the data from EPC certificates alone are not adequate for retrofit planning because:
  - They are often out of date
  - EPCs were not designed for net zero carbon planning
  - There are well-known data quality issues
- If possible, collect the raw data such as the full SAP or RdSAP that was used to calculate EPCs
- You can request the full data from your EPC assessor

## Aggregating data

Two areas that will help to ensure you have the foundations to store and manage your housing stock data are having a **single version of the truth** and **consistent formatting**.

### Single version of the truth

This is a succinct way of saying that data should be consistent without any ambiguity about which version to use. This is achieved by aggregating all the data that exists within different departments. Figure 5 shows the various datasets that may exist within your organisation:




Figure 5. Representation of a centralised database by collating data from different departments

Work with colleagues to store these datasets in a central database, accessible to all. If you are using different software or applications for your housing data, such as asset management systems and/or home energy analytic software, it is important that the data comes from the same source.

### Consistent formatting

Once your data is in one central location, you should consistently format it to allow your datasets to be easily pulled together when needed. To do this you'll need to make sure that:

#### 1. All your data is digitised and in the same format

- Having your home data attributes stored in PDF documents or as hard copies will slow down any analysis, as it is not in the same format




Figure 6. Consistent formatting and storage

**Note:** You cannot move onto the next stage without ensuring the first is completed

#### 2. Use consistent variable labels

- Have one common variable to link the homes across all the different datasets. This is usually a unique property reference number (UPRN)
- Ensure consistent naming of variables across datasets. Here's an example of inconsistent variable labels for the same building element variable:

Data from 'Source 1'		Common variable	Data from 'Source 2'	
UPRN	Wall type		UPRN	Wall_construction
ABC123	System built		ABC123	system_built
ABC124	System built		ABC124	system_built
ABC125	System built		ABC125	system_built
ABC126	System built		ABC126	system_built
ABC127	System built		ABC127	system_built
ABC128	System built		ABC128	system_built
ABC129	System built		ABC129	system_built
ABC130	System built		ABC130	system_built
ABC131	System built		ABC131	system_built
ABC132	System built		ABC132	system_built
ABC133	System built		ABC133	system_built
ABC134	Solid mansorary brick wall		ABC134	solid_brick
ABC135	Solid mansorary brick wall		ABC135	solid_brick
ABC136	Solid mansorary brick wall		ABC136	solid_brick
ABC137	Solid mansorary brick wall		ABC137	solid_brick
ABC138	Solid mansorary brick wall		ABC138	solid_brick
ABC139	Solid mansorary brick wall		ABC139	solid_brick
ABC140	Solid mansorary brick wall		ABC140	solid_brick
ABC141	System built		ABC141	system_built
ABC142	System built		ABC142	system_built
ABC143	Solid mansorary brick wall		FDC 143	cavity_fill
ABC144	Solid mansorary brick wall		FDC 144	cavity_fill

Figure 7. Two data sources that contain the same information but inconsistent formats

### 3. Version control and file labelling

- Implement and communicate a file labelling and version control process for your data. You could include initials in the file name to show who last updated the file. For example, on the 16 February 2024, Emma Williams updated the planned works dataset to show a new window had been fitted. She then saves the file as Planned works\_16.02.24 (EW).xlsx and moves the old version to an archive folder.

# Improving data quality

There are six key attributes to data quality you should consider:

<b>Accuracy</b>	Correct, precise and up to date.
<b>Completeness</b>	All possible data is present (no gaps or blanks).
<b>Consistency</b>	No conflicting information within or between systems and attributes.
<b>Timeliness</b>	Data is created, maintained and available when required.
<b>Uniqueness</b>	Where appropriate, there are no duplicates or redundant data elements.
<b>Validity</b>	Data is authentic, proven to be valid, and derived from good, reliable sources.

The processes to improve data quality starts with your raw data. Reviewing your data can be a long, painstaking process so it is important to be realistic about how much time and effort you are prepared to commit to it. It is unlikely you'll be able spot all the errors and mistakes, but the more data improvements you make, the better quality your data is, and the more effective your retrofit projects are likely to be.

There are two potential methods you could use to check data quality:

## 1 Home energy analytic software

Some software automatically calculates a data quality score. This is based on the data sources and if there are any data gaps. Review data with a quality score below 60% or equivalent (anything below average) and look to improve the score of that data.

## 2 Manual checks

Manual checks can evaluate the quality of your data. This can be done regardless of whether you have software or not. See appendix 1 for how you can use Pivot Tables to manually check your data.

- Gaps/ missing information

Some variables are key to accurately calculating the energy performance of your homes:

- Property type
- Property age
- Wall construction
- Roof insulation
- Heating systems
- Windows and doors
- Floor area
- Number of habitable rooms

If there is any missing information or gaps for any of the key variables listed above, work towards completing the data.

- Data sources  
Different sources of data have different levels of reliability. Refer to 'collect data' section on the recommended data sources.
- When was the data last updated?  
More recent data can improve overall data quality. To check this, you should have a column within your database which indicates the date for when the survey, EPC, or work was last carried out. Use conditional formatting in Excel to highlight cells where data is more than 4 years old (see Figures 8 and 9).

Building type	Heating type	Roof type	Data Quality Indicator	SAP	CO2 Emissions (kg)	Estimated fuel bills (£)	Space heating demand (kWh/m)	EPC last update
semi built	Electric storage	N/A	82	52.3	264.20	£ 1,084.63	154.8	08/02/2016
semi built	Electric storage	N/A	82	47.7	332.48	£ 1,372.55	144.2	08/02/2016
semi built	Electric storage						167.2	08/02/2016
semi built	Electric storage						115.1	08/02/2016
semi built	Electric storage						126.9	08/02/2016
semi built	Electric storage						108.1	08/02/2016
semi built	Electric storage						139.5	08/02/2016
semi built	Electric storage						128.4	08/02/2016
semi built	Electric storage						155.8	08/02/2016
semi built	Electric storage						167.2	08/02/2016
semi built	Electric storage						146.3	08/02/2016
masonry	Boiler to radiato	Pitched	100	63.5	3,525.81	£ 861.71	128.3	06/08/2021
masonry	Boiler to radiato	Pitched	81	64.6	2,713.21	£ 696.73	154.1	03/11/2019
masonry	Boiler to radiato	Pitched	100	66.0	2,637.12	£ 663.19	138.8	26/06/2018
masonry	Boiler to radiato	Pitched	100	65.0	2,763.62	£ 674.24	127.5	26/06/2018
masonry	Boiler to radiato	Pitched	82	62.1	3,115.25	£ 720.14	149.7	17/12/2020
masonry	Boiler to radiato	Pitched	100	55.2	4,108.29	£ 879.39	143.9	17/12/2020
masonry	Boiler to radiato	Pitched	100	62.4	3,568.17	£ 792.37	133.5	17/12/2020
semi built	Boiler to radiato	N/A	100	63.8	1,453.57	£ 593.85	76.8	17/12/2020
semi built	Community heat	N/A	100	61.4	905.74	£ 588.57	151.4	17/12/2020
masonry	Boiler to radiato	Pitched	100	64.0	2,786.47	£ 688.00	127.1	17/12/2020

Figure 8. Conditional formatting used to highlight older data in Excel

### How to improve your data quality?

The best way to improve the quality of your data is through data checking and cleaning (fixing or removing incorrect information). This is usually a manual process. No one knows your housing stock better than you. Therefore, sense check your data to weed out obvious errors.



**Data checks:** There are three different kinds of data checks you can undertake:

Check Type	Examples
<b>Logic checks</b> Where a combination of dataset points is not logical	Does the data show cavity wall for properties with a property age Pre 1900? Cavity walls were introduced in 1920s so check to see if it is viable. Repair records showing roof repairs for a mid-floor flat. Unlikely to be true.
<b>Consistency checks</b> To determine whether dataset points are consistent from different datasets	You have 20 properties that are in the same block of flats, but the construction age of the flats is different Duplicate entries
<b>Plausibility checks</b> To determine whether the dataset points are reasonable within the dataset range	Sort very low/high SAP scores – at a glance, is this likely to be correct? Sort very low/high floor areas – are these realistic? Filter options for heating types – are there any unusual heating types you don't have knowledge of for your stock? For example, oil boilers. Is this likely to be a mistake?

Tip: Create a copy of your dataset in a new sheet in Excel for your different archetypes: houses, flats, maisonettes, balconies. Add a filter to your column or row headings. Start interrogating the data by looking at the filter results.

### Data cleaning

When you find a mistake, manually correct the data and keep a log of the changes made. If you are not confident that it is an error, do not change it but do seek advice. If there are several data points that look incorrect, it might be worth collecting new data for these properties.

## Calculating energy performance

It is important you have energy performance data for the following metrics:

- EPC rating and SAP score
- Estimated fuel bills (£)
- CO<sub>2</sub> emissions (tonnes/year)
- Heating demand (kWh/m<sup>2</sup>/year)

For more information on each of these metrics see appendix 2.

To calculate your home's baseline energy performance, you'll also need detailed home level data (building components, information on surrounding area, residents, heating systems and condition of the property).

The different approaches that housing providers could use to calculate baseline and expected energy performance are:

1. Using home energy analytics software
2. Making desktop calculations
3. Appointing sub-contractors to make calculations on your behalf

### Home energy analytics software

Using home energy analytics software gives you the ability to:

- Calculate your baseline energy performance (before retrofit interventions)
- Model a retrofit approach
- Calculate the expected energy performance (after retrofit interventions)
- Estimate the cost needed to retrofit the home

Investing in software will improve the efficiency in acquiring data and allow better intelligence to understand your stock, the retrofit approach, and the measures recommended to meet set targets. To find out more about procuring software and the considerations, see appendix 3.

### Baseline energy performance

The first step is to upload your housing stock data onto the home energy analytics platform. This should automatically calculate your baseline energy performance. It is worth carrying out data checks and reviewing the outputs to inform any data improvements prior to modelling retrofit scenarios or plans. If the outputs do not include all the required energy performance metrics, work with the software provider to find a solution.

**Tip:** After completing this you may want to take a deeper dive into your data to scope out potential retrofit projects. This could include identifying homes which are worst performing or in geographical clusters. You can also target properties which need further data collection or surveys or find common archetypes where similar retrofit approaches are required.

## Expected energy performance

Work with your provider to understand how to set parameters for various targets and measures.

### 1. Set targets

- Use different metrics such as heating demand (kWh/m<sup>2</sup>), EPC / SAP or CO<sub>2</sub> targets
- You may choose to set cost caps per home to reach that target

### 2. Select measures and retrofit approach

- Focus on fabric-first and a no-regrets approach where possible
- Be selective with the measures you are modelling and choose measures fit for the residents and building archetype
- For example, you may choose not to install internal wall insulation (IWI) due to the disruption to residents

### 3. Run model and verify outputs

- The outputs will recommend measures for each property, based on the parameters set in steps 1 and 2, which you'll need to review.
- After reviewing, you may wish to adjust your targets or measures. This will then require re-running the model to find the best retrofit approach

Use these outputs in conjunction with other supporting evidence such as retrofit assessments. This helps to show how your chosen retrofit approach is specific to the archetype and residents, and how the project meets compliance with PAS 2035.

## Desktop calculations

Manual desktop calculations are possible, however, manually calculating the performance for each home can be time consuming and resource intensive.

There are two desktop calculation methods. The first is to use an Energy Performance Certificate (EPC). Caution is advised when using EPCs as it will not provide you with all the data required and there are known data quality issues. The second method requires an application such as asset management system or a SAP calculation tool, to manually recalculate energy performance.

## Baseline energy performance

EPCs contain all the energy performance metrics apart from heating demand (kWh/m<sup>2</sup>/year). However, you can derive the heating demand from values on the EPC: take the space heating (kWh) as shown in Figure 9 and divide this by the total floor area (m<sup>2</sup>), to give heating demand.

## Heating use in this property

Heating a property usually makes up the majority of energy costs.

### Estimated energy used to heat this property

Space heating	2973 kWh per year
Water heating	2473 kWh per year

Figure 9. Property space heating demand is normally higher than water heating

## Expected energy performance

EPCs contain recommended improvement measures for the home, as well as the potential SAP score and estimated fuel saving (see Figure 10). However, there are limitations to using this method:

- The expected energy performance is only calculated for the potential SAP score and estimated fuel bill saving. It does not include the expected CO<sub>2</sub> saving or heating demand saving
- The recommended measures and outcomes must be taken in the order that they are listed because the SAP calculations are also done in that order. For example, if for some reason you choose not to install recommendation 1, the potential energy rating from recommendation 2 would then be incorrect

EPCs also provide estimated costs; however these will need to be verified to ensure they are reflective of current market prices.




Figure 10. EPC certificate recommendations

## Manually recalculate energy performance

Asset management tools or SAP calculators will take the detailed home level data to calculate the energy performance of a home.

### **Baseline energy performance**

Input the detailed home level data to your asset management systems or SAP calculation tool to give you the baseline energy performance of your homes. Depending on the systems you use, there may be limitations to which energy performance metrics are available.

### **Expected energy performance**

To calculate the expected energy performance, you must first decide on the retrofit approach. Work with a Retrofit Coordinator to decide the appropriate energy efficiency improvements to install.

Once you have chosen your energy efficiency measures, you'll need to update each of the home's raw data to account for those measures. For example, you may propose external wall insulation (EWI). You'll need to amend the raw data to add EWI as an insulation building element, then use your asset management tool or SAP calculator to determine the new energy performance.

You'll then have to separately cost up each of the measures based on supplier quotes or using estimated cost data from a previous retrofit project.

It is then worth reviewing and validating these outputs.

### **Sub-contracting**

You may also choose to sub-contract the detailed analysis. If so, it is important to be closely involved to ensure you are getting the right information and understand what processes were followed to carry out the analysis.

### **Baseline energy performance**

Work closely with the sub-contractor to acquire the energy performance data you need under the different metrics. Consult with them to understand:

- What work can they carry out?
- Will it involve collecting better quality data?
- Will they help to identifying potential retrofit projects?
- What methodologies or data are they using to calculate the performance?
- How will outputs be supplied and what will the outputs look like?

### **Expected energy performance**

Work closely with the sub-contractor to set the parameters of the modelling and analysis, discussing them early to avoid delays. This includes your chosen targets, budget and preferred retrofit measures. You may decide to omit certain measures due to disruption to tenants or lack of skills within your supply chain.

Take time to understand what methodologies they are using, as you may be required to detail this within a funding application. Ensure you review their findings to verify the approach they have taken. You may find after reviewing the outputs that you need to adjust the parameters.

## Reviewing and validating data

Data validation happens towards the beginning of the process and at the end of the process. This is to ensure you have all the information you need to undertake a retrofit project, and that you are confident with the information you are presenting.

Although validating your data requires additional time and potentially additional costs, it is important not to overlook this step. Validating your data and collecting additional information could:

- Provide more accurate costs
- Reduce risk
- Help to comply with PAS2035
- Give a better understanding of installation and material requirements
- Provide additional proof of achieving required energy performance
- Ensure you are undertaking best practice fabric-first and no-regrets approach

## Beginning of process

You need to start with good data to ensure more reliable outputs. Remember - 'garbage in, garbage out'. When looking at your datasets ask yourself the following questions:

- Have I checked to see if there is any missing information from my datasets?
- Have I checked for errors and made any changes where there are obvious errors?
- Am I confident that the data collected will result in accurate and reliable outputs?
- Could I benefit from collecting more information to validate other data points?

## End of process

- Do I have all the data outputs needed to calculate expected energy performance?
- Are the costs reflective of current market prices or costs I am used to seeing?
- Does the recommended set of measures follow a fabric-first and no-regrets approach?
- Am I confident I have collected enough data to justify the proposed retrofit approach?
- Are there any properties that do not meet my targets?
- Should I consider collecting additional data to support? This could include:
  - Supplier quotes
  - Additional surveys
  - Additional assessments
  - Examples of past successful retrofit assessments

By completing this exercise, you'll better understand the level of information you have provided and have more confidence in the data you are presenting.

# Appendices

## Appendix 1: How to use a PivotTable to review your data

A PivotTable is a powerful tool to calculate, summarise, and analyse data that lets you see comparisons, patterns, and trends in your data. It can aid you in finding data gaps and inconsistencies.

1. Select the cells you want to analyse by pressing Ctrl + A on your dataset, this selects all the data on the Excel sheet (see Figure 11)

**Note:** Your data should be organised in columns in a tabular format with a single header row like Figure 8.




Figure 11. Select PivotTable from the Insert tab on Excel and choose 'From Table/Range'

2. Once this is done you'll be presented with the below. Ensure the button for 'New Worksheet' is checked (see Figure 12)






Figure 12. Select 'New Worksheet'



3. The pivot will be blank at first. Using the PivotTable fields pane you can add your fields to the PivotTable (see Figure 13, bottom right):
- Filter – the dynamic dimension you want to slice your data by to look at a subset i.e., housing type of flats only
  - Columns – typically the values you are looking to compare numerically i.e., count/average/sum but can also be attributes if you wish, depending on the visualisation required
  - Columns – the columns should include variables that detail the home such as building elements
  - Rows – the number of rows will be dictated by the number of different entries in the column in your mainsheet. This is best used to look at attributes of your data. For example, property type could be house, flat, maisonette. You would not use it for something with many values such as property reference.
  - Values - this will be the key data in your table. It will show the sum, count or average of columns and rows.

**Note:** It is important that you have cleaned your data beforehand and it is consistent



Row Labels	Count of PROPERTY REF
BNW	113
FLY	11177
HSE	2469
HSL	16
MAS	3105
<b>Grand Total</b>	<b>16880</b>

Figure 13. Use the PivotTable fields pane to add fields to the PivotTable

## Appendix 2. Energy performance metrics

A description of each of the energy performance metrics:



### EPC rating and SAP score

EPCs and SAP are national performance measurement standard. SAP is based on mathematical model that estimates annual energy consumption based on characteristics, heating systems, lighting, and renewable technology. SAP scores range from 1 (lowest efficiency) to 100 (highest efficiency). EPC scores range from G (lowest efficiency) to A (highest efficiency).

### Estimated fuel bills (£)

The heating bill is the total cost in pounds to heat the home to a decent standard, usually calculated per annum. According to the World Health Organisation, temperature assumptions for a decent standard of heat are: 21 degrees Celsius in living areas and 18 degrees Celsius in all other areas.

### CO<sub>2</sub> emissions (tonnes/year)

Carbon dioxide (CO<sub>2</sub>) is the main greenhouse gas contributing to climate change and in a domestic context is mainly created when we heat our homes or use hot water. CO<sub>2</sub> in housing data is commonly measured as tonnes of CO<sub>2</sub> and is also used in national net zero targets.

### Heating demand (kWh/m<sup>2</sup>/year)

Heat demand is a measure of how much energy is required to heat a space. The metric used is kilowatt hours per square metre per year (kWh/m<sup>2</sup>/yr). A common target for deep retrofit is at least 50 kWh/m<sup>2</sup>/yr. This target emphasises a fabric-first approach by focusing on reducing demand in the home.

## Appendix 3. Housing energy analytics software considerations

To build the business case for procuring software you can write an options appraisal to take to senior management. Consider the areas below and ask some of the following questions:

### Costs

- Different cost models may be suitable for you dependent on your stock holding size i.e., annual subscriptions or price per home
- Engage with providers to understand their cost models

### Functionalities

- A platform to upload your housing stock data to and potentially identify any data quality concerns – how user friendly is this? Can it be used alongside existing asset management systems?
- Calculate energy performance baseline – what metrics does this cover? How do they present the data?
- A function to run scenarios to model retrofit investments for your properties. Does it allow you to set targets and estimate the costs to retrofit? This facility should also show energy efficiency performance.
  - How do you set up the models?
  - What targets can you set?
  - What measures can be included?
  - Where do the costs come from?
  - Can the costs be adjusted to reflect market prices you are seeing?
  - What will the expected outputs look like?

### Improved efficiencies

- It is worth noting who currently manages the database you have. What are your current data governance processes? What efficiencies are needed?
- How much time could be saved? How long do desktop calculations usually take versus modelling via software?
- Will software allow you to identify issues? I.e. poor data quality, poorly performing properties, and areas where fuel bills are particularly high.
- Will software allow you to do multiple calculations at once and provide improvement suggestions?

### Data accuracy

- Emphasise the importance of needing good quality data, and how software like this can improve your data

### Challenges/Risks

- When researching providers, consider challenges and risks:
  - How long does it take to get set up?
  - How long will it take to improve the data quality?

- How do you update data on to the platform, will it require training or additional time?
- Are there certain functionalities that are not available? If so, which? Can these be provided elsewhere?

The table shows some home energy analytic software tools currently on the market. This is not an exhaustive list. It is worth doing some research to find the software that fits best with your organisation.

Company		Product
	<b>BRE Group</b>	HSDC
	<b>Elmhurst Energy</b>	Streamline
	<b>Sava</b>	Intelligent Energy
	<b>Energy Saving Trust</b>	Home Analytics
	<b>IRT Surveys</b>	DREam
	<b>Parity Projects</b>	Portfolio
	<b>Energy Audit Company</b>	Uno

The different products on the market offer different functionalities at varying costs. It is important to understand which systems are available, their functionality, costs, and subscription models. Talk to different software providers, and other Potential Applicants (PAs) who can share their experience using different products, to help inform your choice.

## Toolkits available online

The full selection of RISE toolkits are available at:  
<https://riseretrofit.org.uk/resources/toolkits>



[www.riseretrofit.org.uk](http://www.riseretrofit.org.uk)



**RISE – Retrofit information, support & expertise**